





Equiplite™ ULTRALIGHT | Turbo Roller Becket RACE Blocks | VHi

Weight above deck is one of the biggest drawbacks to the performance of the yacht.

Equiplite™ Runner Becket Blocks. By reducing the maximum on the carbon becket which is possible of the use of the technology on the NS Body which creates the spacer between the becket loop, results in an ultra light 11% weight saving and a solid self aligned full certificated becket system.

This allows the TURBO roller becket blocks Higher load to **ultra light** weight – Self aligning system – Less friction –higher efficiency – No grease which results in easy to Service.

High-strength material— less friction, impact resistant

The VHi Load Equiplite TURBO roller blocks are produced using carbon composite side plates, with high-tensile Hard coated - anodized aluminium body and sheave. The bearing is designed for VHi Loads and reduces friction.

- Wider rollers allow increased radial loads.
- Larger Balls **take both** radial loads and side loads.
- A slightly wider Equiplite TURBO block can achieve approx. 2x the load for a given size weight and cost compared to traditional blocks.

With dry operation;

- Teflon inserts lubricate during use, reduce friction in balls and rollers, Blocks have unmatched impact and wear resistance.
- Easy – Care Teflon rollers & balls give same performance as more expensive titanium rollers.

Patented self aligning system [wing]

As one of the features of guarantee a self aligning system, the special designed and patented wing technology makes self aligning Turbo Roller Bearing Blocks possible.

Easy to MAINTAIN

The NS Quick loop technology makes it easy and quick to connect and disconnect which results in a guaranteed steady distance off measurement on you runner tail. (you never have to make difficult splices in hard to reach places and performing service is easy).

The VHi Load TURBO roller becket blocks are used on top competitive boats for:

Runner Becket Block





Note: Matching parts should be rounded, smooth, and with no sharp edges or burrs.

All prices are retail prices in Euro.
 All data approx and subject to change without notice.
 Other sizes available on special order.

Unspecified dims. mm.
 Break load approx. 2 x MWL.
 * All up MWL. with bypass Becket

Turbo roller runner becket RACE Block | Ultra light | Quick Becket including | Custom

Part	Max. line (mm)	Sheave ϕ	Approx Wt. (g)	*MWL (kg)
205-40-36t TrrbRB-VHi	40	205	5,500	54,000
180-35-30t TrrbRB-VHi	35	180	3,700	45,000
155-30-20t TrrbRB-VHi	30	160	2,600	30,000
135-26-16t TrrbRB-VHi	26	135	1,600	22,000
115-22-11t TrrbRB-VHi	22	115	950	16,000
100-20-8t TrrbRB-VHi	20	100	600	12,000
90-18-6,5t TrrbRB-VHi	18	90	399	9,000
80-14-5t TrrbRB-VHi	14	80	233	7,500
65-12-3t TrrbRB-VHi	12	65	144	4,500